

ANGUS BULLS

*Fall Angus Bulls ultrasound data is actual not adjusted

Lot	Tag	1/30		CED	BW	WW	DMI		DOC	CEM	Milk	Marb	IMF		ADJ	Ribeye	ADJ Rib	Rib Fat	\$M	\$W	\$F	\$G	\$B	\$C			
		WT	SC	EPD	EPD	EPD	YW	EPD	EPD	EPD	EPD	EPD	RE	CW	EPD	Ratio	Ribeye	Ratio							Fat	Ratio	
1	3165	1184	36.5	10	1.5	79	129	1.42	1.15	20	14	21	1.76	1.24	66	5.38	122	16.3	16.0	0.20	67	71	72	103	122	225	363
2	3168	1146	42.5	1	3.5	84	153	2.08	2.06	21	2	29	1.56	1.28	75	4.17	95	14.0	13.6	0.26	87	55	71	113	110	222	343
3	3151	1126	35.5	15	-1.3	74	133	1.36	0.97	16	13	28	1.41	1.14	60	4.68	106	14.2	14.6	0.27	90	61	76	107	100	207	329
4	3153	1112	38.0	14	0.6	80	143	1.88	1.04	18	7	21	1.31	1.16	63	3.96	100	13.2	13.5	0.20	100	52	70	102	96	198	309
5	3178	984	36.0	17	-2.4	50	95	0.99	0.21	26	12	22	1.27	0.71	22	3.67	100	12.7	11.9	0.29	100	69	52	65	85	150	264
6	3177	960	34.5	11	-1.3	79	130	1.68	0.78	31	6	32	1.67	0.66	47	4.88	111	14.7	14.1	0.47	157	78	88	79	97	175	305
7	3169	1156	37.5	7	1.3	87	150	1.79	0.93	17	2	20	1.99	0.86	63	6.44	146	14.4	14.0	0.36	120	30	69	100	125	225	322
8	2405	1546	37.0	2	2.3	96	177	2.86	0.26	16	6	33	0.76	0.91	87	*2.98		*15.2		*0.38		71	85	121	63	183	308
9	2404	1278	39.5	-4	3.8	87	147	1.47	1.54	24	1	23	0.68	0.51	56	*2.69		*13.2		*0.32		72	72	93	51	144	259
10	3158	1104	36.0	0	2.9	81	140	1.82	1.02	15	10	17	0.67	0.27	64	2.38	96	11.9	12.0	0.35	152	55	59	100	46	145	243
11	3159	1250	36.0	-4	5.1	95	152	1.83	0.21	22	9	32	0.43	0.75	70	2.7	108	13.9	14.0	0.25	109	78	83	94	44	138	257
12	3156	1058	35.0	15	-3.1	66	114	0.99	1.09	15	9	34	0.54	1.13	38	2.33	53	12.6	12.8	0.22	73	94	81	78	55	134	268
13	3160	1090	39.0	9	0.5	81	137	1.24	1.44	23	11	35	0.91	0.85	58	2.92	66	13.1	13.2	0.32	107	82	88	97	68	165	296
14	3103	951	37.0	12	-1.1	48	84	0.9	1.58	12	6	33	1.24	0.64	21	3.47	139	11.5	11.5	0.24	104	93	69	57	80	138	272
15	3104	1024	38.5	8	0.6	74	119	0.59	1.07	10	5	30	1.20	0.91	52	3.09	124	13.9	13.9	0.15	65	71	79	96	83	179	303
16	3108	849	34.0	1	1.4	59	118	1.43	0.34	18	2	31	0.50	0.65	45	1.09	44	12.8	12.2	0.15	65	70	58	92	52	143	255
17	3182	905	35.0	11	-0.6	57	95	0.89	0.23	4	7	30	0.46	0.29	39	2.22	89	12.6	11.8	0.23	100	71	65	78	36	114	219

SIMMENTAL BULLS

*89K ultrasound data is actual not adjusted

Lot	Tag	1/30			BW	WW	YW EPD	MCE	MILK	MWW	Stay	Marb	DOC	CW EPD	REA EPD	API	TI	ADJ	IMF	ADJ BF	BF Ratio	ADJ	REA
		WT	SC	CED	EPD	EPD		EPD	EPD	EPD	EPD	EPD						IMF	Ratio			REA	Ratio
18	63L	1200	39.0	18.0	-2.2	90.2	145.5	10.4	17.6	62.6	16.0	0.68	22.1	45.5	0.77	183.2	105.0	3.49	124	0.23	105	13.49	102
19	89K	1450	39.0	16.7	-4.4	71.1	98.7	9.8	16.9	52.4	15.1	0.56	19.2	16.3	1.04	167.4	92.9	*2.51		*0.36		*14.76	
21	59L	1076	35.0	12.8	-1.5	80.2	131.9	6.9	24.7	65.3	12.1	0.78	14.7	59.2	1.07	157.8	96.3	3.28	117	0.32	145	14.91	113
23	69L	1028	36.0	17.8	-3.4	79.4	114.2	6.2	19.1	58.4	17.2	0.68	21.3	29.5	0.80	168.8	94.6	2.52	90	0.24	109	13.6	103
24	68L	894	33.5	19.2	-3.7	79.9	120.3	7.0	19.1	58.6	15.6	0.86	20.7	32.4	0.88	179.2	100.3	2.99	106	0.16	73	12.23	92
25	65L	1138	36.0	15.1	-1.4	86.5	131.8	11.7	28.5	71.6	18.4	0.42	13.0	35.4	0.78	153.2	90.5	0.69	45	0.45	122	15.12	109
26	62L	1188	37.0	14.4	-1.8	71.0	103.3	10.2	23.7	59.2	17.8	0.62	18.2	30.4	0.76	168.2	91.0	3.48	124	0.26	118	14.46	109
28	94K	1274	39.0	10.3	0.4	78.6	115.0	6.8	22.4	61.3	13.8	0.52	12.8	40.8	0.36	131.3	82.3	2.55	99	0.31	97	12.1	92
29	7L	978	39.0	17.3	-2.1	78.4	127.7	10.0	15.9	55.6	12.7	0.41	13.8	41.7	0.68	143.6	85.6	2.16	141	0.31	84	14.45	104
30	1L	972	31.0	11.5	0.7	92.4	138.7	4.4	13.2	59.3	13.2	0.55	16.1	40.6	1.16	156.6	98.5	1.99	84	0.18	78	12.91	104
31	73L	944	35.0	14.4	-1.5	64.0	102.1	9.2	26.0	57.8	17.7	0.57	10.9	28.4	0.50	150.4	80.1	1.75	114	0.34	92	12.01	87

HEREFORD BULLS

Lot	Tag	1/30			BW	WW	YW EPD	SC EPD	MCE	MM	M&G	CW	REA	Marb	DMI	\$BMI	\$BII	\$CHB	ADJ Rib	Rib Fat	ADJ	EMA	ADJ	IMF
		WT	SC	CED	EPD	EPD			EPD	EPD	EPD	EPD	EPD	Fat					Ratio	EMA	Ratio	IMF	Ratio	
32	306	949	32.5	4.2	3.1	80	127	1.4	5.3	28	68	89	0.97	0.14	0.8	468	568	143	0.26	117	13.33	121	1.89	102
33	353	912	32.0	3.2	2.2	65	108	1.1	8.6	33	66	97	0.61	0.17	0.5	503	595	152	0.21	108	11.58	100	0.58	67
34	288	1388	41.0	2.4	1.7	63	99	1.7	2.5	24	55	77	0.44	0.06	0.4	417	497	112	0.42	127	12.55	109	1.30	120
36	282	1194	40.0	8	-0.2	48	69	1.0	6.7	24	49	55	0.30	-0.04	0.4	379	439	67	0.35	106	11.06	96	1.37	127
37	287	1176	43.0	1.0	1.9	47	76	1.6	3.2	20	44	60	0.33	-0.02	0.4	385	444	79	0.27	82	12.05	104	0.16	15
39	356	918	33.5	9.4	-0.8	50	76	0.3	4.0	33	58	72	0.51	0.15	0.7	451	526	103	0.31	124	13.02	106	1.85	103
40	355	917	32.0	7.6	-0.1	49	77	0.2	3.0	33	57	69	0.46	0.14	0.7	444	516	102	0.19	76	11.52	94	1.75	97
41	291	993	37.0	7.9	1.4	59	83	1.5	5.0	35	64	73	0.54	-0.10	0.0	414	479	98	0.36	100	11.27	100	1.42	100
42	359	951	35.5	1.3	4.0	68	103	1.5	2.8	29	63	56	0.37	0.10	0.7	367	453	87	0.25	112	10.53	95	1.90	102
43	352	985	36.5	3.7	0.3	53	74	1.2	4.7	29	56	49	0.14	0.32	0.3	351	437	98	0.24	108	10.00	91	1.75	94