

Vitamin Premix Specification Form with Phytase

Last updated August, 2017

Name: _____

Product name: Vitamin Premix with Phytase

Address: _____

Quantity, lb _____

Package size, lb _____

Phone: _____

Use level, lb/ton Sow diets: 5 lb

Nursery diets: 5 lb

Grower diets: 3 lb

Finisher diets: 1.5 to 2.5 lb

Fax: _____

Date: _____

Price desired (circle one)

\$/lb FOB

Date Needed: _____

\$/lb Delivered

| Nutrient | Units | Guaranteed Potency per lb of premix | Sources |
|---|------------|-------------------------------------|--|
| Vitamin A | IU | 1,600,000 | Vitamin A acetate (retinyl acetate) |
| Vitamin D | IU | 400,000 | Vitamin D ₃ (cholecalciferol) with at least 50% supplied by a vitamin A/D ₃ cross-linked beadlet |
| Vitamin E (Pick one source and provide source with quotation) | mg | 8,000 | dl- α -tocophorol acetate |
| | mg | 4,000 | d- α -tocophorol acetate (Natural vitamin E) |
| Vitamin K (menadione) | mg | 800 | MPB (Menadione dimethylpyrimidinol bisulfite) or MNB |
| Vitamin B ₁₂ | mg | 7 | Cyanocobalamin |
| Niacin | mg | 15,000 | Niacinamide, Nicotinic acid |
| Pantothenic acid | mg | 5,000 | d-calcium pantothenate |
| Riboflavin | mg | 1,500 | Crystalline riboflavin |
| Phytase (Pick one source and provide source with quotation) – Must use guaranteed phytase level provided by the phytase manufacturer. | FTU or FYT | 136,000 | Axtra TPT (Dupont) |
| | FTU | 130,000 | OptiPhos PF (Huevepharma); Quantum Blue G (AB Vista) |
| | FYT | 226,750 | Ronozyme Hi-Phos GT (DSM); Natuphos E 5,000 G (BASF) |
| Carrier | | | 50:50 mixture of rice hulls and limestone |
| Oil | % | | Mineral or vegetable |

The following points must be followed unless approval for changes have been made:

- a) Guaranteed to stay free-flowing, lump free, non-dusty and packaged in multi-wall, poly-lined paper bags or totes as specified above.
- b) The final moisture level will be less than 10% and 99.5% product will flow through a #14 U.S./Canadian screen.
- c) Bulk density will be 32 ± 5 lb per cubic foot. Please notify me if oil level or carrier cause a flow problem.
- d) All bags or totes must be labeled with tags. Tags should include date of manufacture, lot number, guaranteed analysis, inclusion rate, and proposed use of the product.
- e) Formulate using the guaranteed analysis from the supplier for the nutrient. We can request label copies of your ingredients and copies of your mixing records to show quantities of ingredients per batch.

Trace Mineral Premix Specification Form

Last updated December, 2011

Name: _____

Product name: Trace Mineral Premix

Address: _____

Quantity, lb _____

Package size, lb _____

Phone: _____

Use level, lb/ton Sow diets: 3 lb

Nursery diets: 3 lb

Grower diets: 3 lb

Fax: _____

Finisher diets: 1.5 to 2.5 lb

Date: _____

Price desired (circle one)

\$/lb FOB

Date Needed: _____

\$/lb Delivered

| Nutrient | Guaranteed Potency of premix | | Sources |
|-----------|------------------------------|--------|--|
| | mg/lb | ppm | |
| Copper | 5,000 | 11,000 | Copper sulfate, Copper chloride |
| Iodine | 90 | 198 | Ca iodate, Ethylenediamine dihydriodide (EDDI) |
| Iron | 33,300 | 73,413 | Ferrous sulfate |
| Manganese | 10,000 | 22,046 | Manganese sulfate, Manganese oxide |
| Selenium | 90 | 198 | Sodium selenite |
| Zinc | 33,300 | 73,413 | Zinc sulfate |
| Carrier | | | Calcium carbonate |
| Oil | | | Mineral or vegetable |

The following points must be followed unless approval for changes have been made:

- a) Guaranteed to stay free-flowing, lump free with little dust, and packaged in multi-wall, poly-lined paper bags or totes as specified above.
- b) All bags or totes must be labeled with tags. Tags should include date of manufacture, lot number, guaranteed analysis, inclusion rate, and proposed use of the product.
- c) Formulate using the guaranteed analysis from the supplier for the nutrient. We can request label copies of your ingredients and copies of your mixing records to show quantities of ingredients per batch.
- d) Trace mineral sources must comply with the AFIA Mineral Handbook as to maximum levels of arsenic, mercury, cadmium, and lead.

Vitamin Premix Specification Form – Sow Add Pack

Last updated June, 2014

Name: _____

Product name: Sow Add Pack

Address: _____

Quantity, lb _____

Package size, lb _____

Phone: _____

Use level, lb/ton Sow diets: 5 lb

Nursery diets:

Grower diets:

Finisher diets:

Fax: _____

Date: _____

Price desired (circle one)

\$/lb FOB

Date Needed: _____

\$/lb Delivered

| Nutrient | Units | Guaranteed Potency per lb of premix | Sources |
|---|-------|-------------------------------------|---|
| Vitamin E (Pick one source and provide source with quotation) | IU | 4,000 | dl- α -tocophorol acetate |
| | IU | 2,000 | d- α -tocophorol acetate (Natural vitamin E) |
| Biotin | mg | 40 | Biotin |
| Folic Acid | mg | 300 | Folic acid |
| Pyridoxine | mg | 400 | Pyridoxine HCl |
| Choline | mg | 100,000 | Choline Cl |
| Carnitine | mg | 9,000 | L-carnitine |
| Chromium | mg | 36 | Chromium picolinate |
| Carrier | | | 50:50 mixture of rice hulls and limestone |
| Oil | % | | Mineral or vegetable |

The following points must be followed unless approval for changes have been made:

- a) Guaranteed to stay free-flowing, lump free, non-dusty and packaged in multi-wall, poly-lined paper bags or totes as specified above.
- b) The final moisture level will be less than 10% and 99.5% product will flow through #14 U.S./Canadian screen.
- c) Bulk density will be 32 ± 5 lb per cubic foot. Please notify me if oil level or carrier cause a flow problem.
- d) All bags or totes must be labeled with tags. Tags should include date of manufacture, lot number, guaranteed analysis, inclusion rate, and proposed use of the product.
- e) Formulate using the guaranteed analysis from the supplier for the nutrient. We can request label copies of your ingredients and copies of your mixing records to show quantities of ingredients per batch.